

FOUNDATION ARMOR

CONCRETE SEALERS AND COATINGS

PRODUCT CATALOG 2026



ABOUT US

MISSION

At Foundation Armor, our mission is to provide honest information, quality products, and unmatched customer service. As a family owned and operated business, our employees are an extension of our family, and so are our customers. We value the opportunity to create lasting relationships and are here to encourage your project's success.

OUR STORY

Foundation Armor is a multi-generational family owned and operated business. Our brand very closely aligns with our values, and represents honesty, quality, and reliability. In every conversation, our priority is to provide our customers with the information they need to make the best purchasing decision for their project, even if that solution is one we aren't able to provide. Your home is one of the largest investments you will ever make, and we are here to help you protect it, elevate it, and enjoy it.



TABLE OF CONTENTS

WATER REPELLENT SEALERS	01-04
HARDENERS AND DENSIFIERS	05-06
ACRYLIC SEALERS	07-14
CONCRETE COATINGS AND WAXES	15-23
EPOXY FLOOR FLAKES	24
CLEANERS, REMOVERS, ACRYLIC REPAIR	25-29
ADDITIVES	30-32
APPLICATION TOOLS	33



WATER REPELLENT SEALERS

SX5000 WB

**PENETRATING WATER-BASED SILANE SILOXANE
CONCRETE SEALER AND MASONRY WATER REPELLENT**

DESCRIPTION

The Armor SX5000 WB is a water-based Silane-Siloxane water repellent sealer for unsealed concrete, brick, stone and masonry.

BENEFITS





- Won't change the look, color, or texture of the surface
- Works entirely below the surface and won't leave a surface film
- Reduces surface water absorption by up to 95%
- Reduces damage and deterioration caused by water absorption
- Reduces damage and deterioration caused by snow, ice, and de-icing salts
- Reduces the growth of mold, mildew, and algae

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Brick, Pavers, Natural Stone



SX5000

**PENETRATING SOLVENT-BASED SILANE SILOXANE
CONCRETE SEALER AND MASONRY WATER REPELLENT**

DESCRIPTION

The Armor SX5000 is a solvent-based Silane-Siloxane water repellent sealer for unsealed concrete, brick, stone and masonry.

BENEFITS



- Won't change the look, color, or texture of the surface
- Works entirely below the surface and won't leave a surface film
- Reduces surface water absorption by up to 95%
- Reduces damage and deterioration caused by water absorption
- Reduces damage and deterioration caused by snow, ice, and de-icing salts
- Reduces the growth of mold, mildew, and algae

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Brick, Pavers, Natural Stone



SC25

SILICONATE WATER REPELLENT AND SALT GUARD FOR WHITE CONCRETE

DESCRIPTION

The Armor SC25 is a water-based siliconate water repellent sealer for unsealed white or light concrete surfaces.

BENEFITS


- Can be used on new, uncured concrete
- Won't change the look, color, or texture of the surface
- Works entirely below the surface and won't leave a surface film
- Reduces damage and deterioration caused by water absorption
- Reduces damage and deterioration caused by snow, ice, and de-icing salts
- Reduces the growth of mold, mildew, and algae

COVERAGE

Up to 175 FT²/gallon

USES

White Concrete



WL550

MATTE WET LOOK SEALER FOR CONCRETE, BRICK, STONE, AND MASONRY

DESCRIPTION

The Armor WL550 is a penetrating, solvent-based matte wet-look sealer for unsealed concrete, brick, pavers, stone and masonry.

BENEFITS


- Will enhance dull and faded surfaces with a matte wet look
- Works entirely below the surface and won't leave a surface film
- Reduces surface water absorption
- Reduces damage and deterioration caused by water absorption
- Reduces damage and deterioration caused by snow and ice
- Reduces the growth of mold, mildew, and algae

COVERAGE

Up to 175 FT²/gallon

USES

Concrete, Brick, Pavers, Natural Stone





HARDENERS AND DENSIFIERS

S2000

WATER-BASED SODIUM SILICATE CONCRETE DENSIFIER AND SURFACE HARDENER

DESCRIPTION

The Armor S2000 is a water-based sodium silicate concrete densifier and surface hardener for unsealed concrete surfaces.

BENEFITS

- Will increase the strength of the concrete by up to 45%
- Forms a permanent CSH structure deep within the pores
- Won't leave a slippery surface film
- Reduces damage and deterioration caused by surface abrasion
- Reduces concrete dusting caused by surface abrasion
- Can be used in the polishing process to help increase shine

COVERAGE

Up to 200-400 FT²/gallon

USES

Concrete



L3000

WATER-BASED LITHIUM SILICATE CONCRETE DENSIFIER AND SURFACE HARDENER

DESCRIPTION

The Armor L3000 is a water-based lithium silicate concrete densifier and surface hardener for unsealed concrete surfaces.

BENEFITS






- Will increase the strength of the concrete by up to 45%
- Forms a permanent CSH structure deep within the pores
- Won't leave a slippery surface film
- Reduces damage and deterioration caused by surface abrasion
- Reduces concrete dusting caused by surface abrasion
- Can be used in the polishing process to help increase shine

COVERAGE

Up to 200-400 FT²/gallon

USES

Concrete





ACRYLIC SEALERS

AR350

SOLVENT-BASED LOW GLOSS WET LOOK PURE ACRYLIC CONCRETE AND PAVER SEALER

DESCRIPTION

The Armor AR350 is a solvent-based pure acrylic sealer designed to enhance and protect concrete and concrete pavers with a low gloss wet look.

BENEFITS




- Will enhance dull and faded surfaces with a low gloss wet look
- Will reduce damage and deterioration caused by water absorption
- Will reduce damage and deterioration caused by surface abrasion
- Easy to apply with a roller or sprayer to concrete and concrete pavers
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



AR500

SOLVENT-BASED HIGH GLOSS WET LOOK PURE ACRYLIC CONCRETE AND PAVER SEALER

DESCRIPTION

The Armor AR500 is a solvent-based pure acrylic sealer designed to enhance and protect concrete and concrete pavers with a high gloss wet look.

BENEFITS



- Will enhance dull and faded surfaces with a high gloss wet look
- Will reduce damage and deterioration caused by water absorption
- Will reduce damage and deterioration caused by surface abrasion
- Easy to apply with a roller or sprayer to concrete and concrete pavers
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



AX25

SILOXANE INFUSED SOLVENT-BASED HIGH GLOSS ACRYLIC CONCRETE AND CONCRETE PAVER SEALER

DESCRIPTION

The Armor AX25 is a solvent-based siloxane-infused high gloss acrylic sealer. It offers superior water repellency benefits, making it the perfect sealer for pool decks and areas constantly exposed to water.

BENEFITS


- Will reduce damage and deterioration caused by water absorption and surface abrasion
- Can be used on new, uncured concrete to help aid with proper curing
- Meets ASTM C1315 standards
- Will enhance dull and faded surfaces with a high gloss wet look
- Easy to apply with a roller or sprayer to concrete and concrete pavers
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



AG BROWN SEAL

**SOLVENT-BASED SEMI-TRANSPARENT BROWN
TINTED HIGH GLOSS ACRYLIC CONCRETE SEALER**

DESCRIPTION

The Armor AG Brown Seal is a solvent-based acrylic sealer designed to enhance and protect concrete with a semi-transparent brown tinted high gloss finish.

BENEFITS


- Will enhance surfaces with a semi-transparent brown tinted high gloss finish
- Will reduce damage and deterioration caused by water absorption
- Will reduce damage and deterioration caused by surface abrasion
- Easy to apply with a roller or sprayer to concrete and concrete pavers
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable
- Meets ASTM C1315 and ASTM C309 standards

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



LV15

SOLVENT-BASED LOW GLOSS WET LOOK ACRYLIC CURE AND SEAL FOR NEW CONCRETE

DESCRIPTION

The Armor LV15 is a solvent-based acrylic cure and seal designed to enhance and protect new and existing concrete, and concrete pavers with a low gloss wet look finish

BENEFITS




- Can be used on new, uncured concrete to help aid with proper curing
- Meets ASTM C309 standards
- Will enhance dull and faded surfaces with a low gloss wet look
- Will reduce damage and deterioration caused by water absorption and surface abrasion
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



LV25

SOLVENT-BASED HIGH GLOSS WET LOOK ACRYLIC CURE AND SEAL FOR NEW CONCRETE

DESCRIPTION

The Armor LV25 is a solvent-based acrylic cure and seal designed to enhance and protect new and existing concrete, and concrete pavers with a high gloss wet look finish.

BENEFITS



- Can be used on new, uncured concrete to help aid with proper curing
- Meets ASTM C1315 and ASTM C309 standards
- Will enhance dull and faded surfaces with a high gloss wet look
- Will reduce damage and deterioration caused by water absorption and surface abrasion
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



WB15

WATER-BASED LOW GLOSS ACRYLIC CURE AND SEAL FOR NEW CONCRETE

DESCRIPTION

The WB15 is a water-based acrylic cure and seal designed to enhance and protect new and existing concrete, and concrete pavers with a low gloss finish.

BENEFITS

- Can be used on new, uncured concrete to help aid with proper curing
- Meets ASTM C309 standards
- Will enhance dull and faded surfaces with a low gloss finish
- Will reduce damage and deterioration caused by water absorption and surface abrasion
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers



WB25

WATER-BASED HIGH GLOSS ACRYLIC CURE AND SEAL FOR NEW CONCRETE

DESCRIPTION

The WB25 is a water-based acrylic cure and seal designed to enhance and protect new and existing concrete, and concrete pavers with a high gloss finish.

BENEFITS


- Can be used on new, uncured concrete to help aid with proper curing
- Meets ASTM C1315 and ASTM C309 standards
- Will enhance dull and faded surfaces with a high gloss finish
- Will reduce damage and deterioration caused by water absorption and surface abrasion
- Will reduce the growth of mold, mildew, and algae
- UV resistant, non-yellowing, breathable

COVERAGE

Up to 175-225 FT²/gallon

USES

Concrete, Concrete Pavers





INTERIOR CONCRETE COATINGS

EPOXY

2-PART WATER-BASED HIGH GLOSS EPOXY FLOOR COATING

DESCRIPTION

The Armor Epoxy is an industrial grade high performance concrete coating designed to enhance and protect interior concrete floors. It can be used as a complete coating system, or as a bonding primer to other urethane and epoxy coating systems.

BENEFITS



- Offers superior bonding capabilities, making it a great primer coat for most coatings
- Can be used as a primer coat, or as a complete floor coating system
- Offers superior protection against damage and deterioration caused by surface abrasion
- Offers superior protection against damage and deterioration caused by foot traffic
- Water based formula is low odor, and low VOC

COVERAGE

Up to 500 FT²/kit

USES

Concrete



UTN60

SOLVENT-BASED HIGH-GLOSS URETHANE OFFERING SUPERIOR RESISTANCE TO OIL, GAS, AND SURFACE ABRASION

DESCRIPTION

The Armor UTN60 is a 60% solids solvent-based high gloss aliphatic urethane coating designed to offer superior protection against damage and deterioration caused by surface abrasion, vehicle traffic, and oil and gas

BENEFITS

- Offers superior resistance to oil, gas, and most chemicals
- Offers superior resistance against high foot traffic and vehicle traffic
- Stops concrete dusting, and reduces deterioration caused by surface abrasion
- The durable high gloss finish can last for up to 10 years
- Available in clear, and a variety of color options
- Perfect top coat for the Armor Epoxy

COVERAGE



Up to 750-900 FT²/kit

USES

Concrete



OPTIONAL OPAQUE COLOR PACK



UTX60 – HIGH GLOSS

WATER-BASED HIGH-GLOSS URETHANE OFFERING SUPERIOR RESISTANCE TO CHEMICALS AND SURFACE ABRASION

DESCRIPTION

The Armor UTX60 High Gloss is a water-based color-optional high gloss urethane coating designed to offer superior protection against damage and deterioration caused by surface abrasion, vehicle traffic, and chemical spills.

BENEFITS

- Offers superior resistance to most oils, gas, and chemicals
- Offers superior resistance against high foot traffic and vehicle traffic
- Stops concrete dusting, and reduces deterioration caused by surface abrasion
- Coating is self-priming and can be used as both the base and top coat
- Can be used in a variety of residential and commercial applications
- UV resistant, low odor, low VOC

COVERAGE



Up to 500-750 FT²/kit

USES

Concrete



OPTIONAL OPAQUE COLOR PACK



UTX60 – MATTE

**WATER-BASED MATTE/LOW-GLOSS URETHANE
OFFERING SUPERIOR RESISTANCE TO CHEMICALS
AND SURFACE ABRASION**

DESCRIPTION

The Armor UTX60 Matte is a water-based matte/low gloss urethane coating designed to offer superior protection against damage and deterioration caused by surface abrasion, vehicle traffic, and chemical spills.

BENEFITS

- Offers superior resistance to most oils, gas, and chemicals
- Offers superior resistance against high foot traffic and vehicle traffic
- Stops concrete dusting, and reduces deterioration caused by surface abrasion
- Coating is self-priming and can be used as both the base and top coat
- Can be used in a variety of residential and commercial applications
- UV resistant, low odor, low VOC

COVERAGE

Up to 600-900 FT²/kit

USES

Concrete



ARMOR MB100

DESCRIPTION

The Armor Epoxy MB100 is a high-performance epoxy primer system designed to reduce water vapor transmission through concrete floors. It is also designed to offer superior adhesion and bonding, making it a superior bonding coat for many coating systems.

BENEFITS

- Superior adhesion for concrete affected by moisture vapor transmission.
- Offers excellent long term wear resistance.
- Excellent base coat for many epoxies and urethanes
- Reduces moisture vapor transmission through concrete floors.
- Easy to apply and maintain.

COVERAGE

Up to 250-400 ft²/3 gallon kit in one coat

USES

Interior Concrete



Looking for a complete vinyl flake coating system? We have you covered!

PRIMER COAT: Armor MB100

COLOR COAT: Armor Epoxy 100

CHIPS: Full Broadcast Vinyl Flakes

TOPCOAT: Armor SCU85

ARMOR EPOXY 100

DESCRIPTION

The ARMOR Epoxy 100 product is 100% solids, two component, cyclo-aliphatic amine epoxy system. This product offers excellent durability including abrasion resistance, chemical resistance and hot tire resistance. This product is a low odor, user-friendly high-performance concrete flooring system.

BENEFITS

- Offers a smooth, gloss finish
- Enhanced flow and leveling properties
- High build
- Great for use with vinyl chip, quartz, and metallic flooring applications
- Available in clear, Black, Medium Gray, Light Gray, Sun Buff, White

COVERAGE

Up to 250-400 ft²/3 gallon kit in one coat

USES

Interior Concrete



OPTIONAL OPAQUE COLOR PACK



Looking for a complete vinyl flake coating system? We have you covered!

PRIMER COAT: Armor MB100

COLOR COAT: Armor Epoxy 100

CHIPS: Full Broadcast Vinyl Flakes

TOPCOAT: Armor SCU85

ARMOR SCU85

DESCRIPTION

The Armor Epoxy SCU85 is a single component 85% solids no odor air cure urethane. It is an ideal topcoat for metallic pigment, vinyl flakes, countertops, and more. It offers a smooth, lasting gloss finish and offers superior hardness, chemical resistance, and UV stability.

BENEFITS

- User friendly, easy to apply
- Low VOC, no odor
- UV stable, non-yellowing
- Offers superior hardness
- Offers superior chemical and liquid resistance
- Ideal topcoat for metallic pigment and vinyl flake systems

COVERAGE

Over Existing Coating: Up to 200 – 350 ft² per gallon // Over Media

Broadcast Systems: Up to 175 – 225 ft² per gallon

USES

Interior Concrete



Looking for a complete vinyl flake coating system? We have you covered!

PRIMER COAT: Armor MB100

COLOR COAT: Armor Epoxy 100

CHIPS: Full Broadcast Vinyl Flakes

TOPCOAT: Armor SCU85

CONCRETE WAX - GLOSS

WATER-BASED HIGH GLOSS ACRYLIC CONCRETE FLOOR WAX FOR INTERIOR FLOORS

DESCRIPTION

The Armor Wax – Gloss is designed to instantly enhance sealed and unsealed interior concrete surfaces, and revive old concrete coatings with an attractive, lasting high gloss finish.

BENEFITS




- Will enhance interior concrete surfaces with a gloss finish
- Can be applied over smooth, unsealed concrete
- Can be applied over acrylic, epoxy, and urethane coatings
- Can easily be applied to clean surfaces with a microfiber mop
- Reduces damage and deterioration caused by surface abrasion and spills
- Water-based formula
- UV stable, non-yellowing

COVERAGE

Up to 800-1,000 FT²/gallon

USES

Concrete



CONCRETE WAX – MATTE

**WATER-BASED MATTE TO LOW GLOSS ACRYLIC
CONCRETE FLOOR WAX FOR INTERIOR FLOORS**

DESCRIPTION

The Armor Wax – Matte is designed to instantly enhance sealed and unsealed interior concrete surfaces, and revive old concrete coatings with an attractive, lasting matte finish.

BENEFITS





- Will enhance interior concrete surfaces with a matte finish
- Can be applied over smooth, unsealed concrete
- Can be applied over acrylic, epoxy, and urethane coatings
- Can easily be applied to clean surfaces with a microfiber mop
- Reduces damage and deterioration caused by surface abrasion and spills
- Water-based formula
- UV stable, non-yellowing

COVERAGE

Up to 800-1,000 FT²/gallon

USES

Concrete





EPOXY FLOOR FLAKES

ARMOR EPOXY FLOOR FLAKES

DESCRIPTION

Elevate your space with premium Armor Epoxy Floor Flakes designed to bring depth, character, and enduring style to concrete floors. Thoughtfully blended in harmonious tones, these decorative flakes create a refined, multi-dimensional finish that feels both modern and timeless.

BENEFITS

- Creates a rich, multi-dimensional finish that adds depth and visual texture
- Helps conceal minor surface imperfections and wear over time
- Contributes to a uniform, professional-grade floor finish
- Compatible with a wide range of epoxy systems and applications
- Ideal for residential, commercial, and showroom environments
- Low-maintenance surface that retains its refined appearance
- Adds subtle character without overpowering the overall space

COVERAGE

Light Coverage: 50-200 SF/LB
Heavy Coverage: 25-50 SF/LB
Full Coverage: 5-7 SF/LB

USES

Interior Concrete





CLEANERS, REMOVERS, ACRYLIC REPAIR

MSC100 CLEANER

ECO-FRIENDLY GENTLE CLEANER FOR A VARIETY OF APPLICATIONS

DESCRIPTION

The Armor MSC100 is an eco-friendly gentle cleaner for concrete, brick, pavers, natural stone, vinyl siding, gutters, and more! It is a safe choice for removing dirt, mildew, grime, and other contaminants from interior and exterior surfaces.

BENEFITS





- Designed to deep clean exterior concrete, brick, and masonry surfaces
- Can also be used to clean vinyl siding, gutters, and more
- Won't leave a residue or surface film
- Safe for use as a daily cleaner for sealed surfaces
- Gentle formula makes it safe for use on a variety of applications
- Easily rinses away with water

COVERAGE

Up to 4,000 FT²/gallon when diluted

USES

Concrete, Brick, Pavers, Natural Stone, Gutters, Siding, More!



ER100

CONCENTRATED EFFLORESCENCE REMOVER AND CLEANER

DESCRIPTION

The Armor ER100 is an efflorescence cleaner and remover designed to remove efflorescence build up on concrete, brick, and pavers.

BENEFITS



- Designed to remove efflorescence build up on concrete, brick and pavers
- Can be used on interior and exterior surfaces
- Use with a stiff bristle brush to remove tough efflorescence build-ups
- Won't leave a residue or surface film
- Can be diluted with water for use on a variety of applications
- Works fast, industrial grade

COVERAGE

Up to 800 FT²/gallon when diluted

USES

Concrete, Brick, Pavers, Natural Stone



RUST REMOVER

RUST REMOVER FOR REMOVING RUST STAINS FROM CONCRETE

DESCRIPTION

The Armor Rust Remover is a concrete cleaner designed to remove tough rust stains from concrete surfaces.

BENEFITS


- Designed to remove rust and iron stains from concrete, pavers, and other cement-based surfaces
- Can be used on interior and exterior surfaces
- Won't leave a residue or surface film
- Easily rinses off with water
- Industrial grade
- Works fast

COVERAGE

Up to 200 FT²/gallon

USES

Concrete



CR100

COATING REMOVER & STRIPPER FOR ACRYLIC, PAINT, EPOXY, AND URETHANE COATINGS

DESCRIPTION

The Armor CR100 is an easy to use coating remover designed to remove a variety of coatings from concrete.

BENEFITS




- Will remove paint, acrylic sealers, epoxy coatings, and other coatings from concrete
- Designed to remove thin coatings, and high build coatings
- Works to instantly remove old coatings in as little as 20 minutes
- Offers a great alternative to mechanical grinding
- Can be used on interior and exterior concrete
- Water based, low odor formula

COVERAGE

Up To 50-100 ft²/gallon

USES

Epoxies, Urethanes, Paint



BLUSH REPAIR

ARMOR BLUSH REPAIR FOR ACRYLIC SEALERS

DESCRIPTION

The Armor Blush Repair is a solvent-based acrylic coating repair designed to repair white spots, blushing, hazing, and bubbles that may appear on acrylic coatings.

BENEFITS

- Repairs white spots and blushing caused by water, moisture, or age
- Repairs bubbles created from heat related application errors
- Revitalizes existing solvent-based acrylic sealers




COVERAGE

Up to 200 ft/gallon.

USES

Solvent-Based Acrylic Sealers





ADDITIVES

OPAQUE COLOR PACKS

OPAQUE COLOR PACK FOR SOLVENT BASED ACRYLIC SEALERS

DESCRIPTION

Opaque acrylic color pack for solvent based acrylic sealers.

BENEFITS

- Can be added to the Armor AR350, Armor AR500, Armor AX25, Armor LV15, and Armor LV25
- Provides an opaque, paint-like finish with two coats

COVERAGE

Varies

USES

Solvent-Based Acrylic Sealers



SEMI-TRANSPARENT COLOR PACKS

SEMI-TRANSPARENT BROWN AND GRAY TINT PACKS FOR SOLVENT BASED ACRYLIC SEALERS

DESCRIPTION

Semi-transparent brown and gray color packs for solvent-based acrylic sealers.

BENEFITS

- Can be added to the Armor AR350, Armor AR500, Armor AX25, Armor LV15, and Armor LV25
- Provides a semi-transparent tinted finish
- Enhances surfaces with variated colors, such as exposed aggregate concrete and integrally colored stamped concrete

COVERAGE

Up to 1 tint pack for every 5 gallon

USES

Solvent-Based Acrylic Sealers



NON-SLIP ADDITIVE

ARMOR NON-SLIP ADDITIVE FOR ACRYLIC AND URETHANE CONCRETE SEALERS

DESCRIPTION

The Armor Non-Slip additive is a clear, granular polymer that can be added to a variety of acrylic, epoxy, and urethane coatings to help provide additional surface traction.

BENEFITS

- Easy to apply
- Can be added to acrylic sealers, epoxy coatings, and urethane coatings
- Great for a variety of applications including pool decks, driveways, walkways, patios, and warehouse floors






GRIT

Ultra Fine, Fine, and Coarse

USES

Acrylics, Urethanes, Epoxies



ARMOR DURATRAC ADDITIVE

DURABILITY AND TRACTION ENHANCEMENT ADDITIVE
FOR URETHANE AND EPOXY COATINGS

DESCRIPTION

The Armor DuraTrac additive is a durability and traction enhancement additive for industrial high traffic areas where urethane and epoxy coatings are used.

BENEFITS

- 220 mesh aluminum oxide powder additive
- Can be added into most urethane and epoxy coatings
- Ultra fine particles blend nicely into the top coat
- Helps to increase surface durability and strength
- Helps to increase surface traction





COVERAGE

Varies

USES

Urethanes, Epoxies





APPLICATION TOOLS

ROLLER KITS – 3", 9", 18"

ALL-IN-ONE ROLLER KITS FOR SEALERS AND COATINGS

DESCRIPTION

The Armor Roller Kit is an all-in-one kit that provides you with everything you need to roll on a sealer or coating.

BENEFITS

- 3" Kit: Roller frame, roller tray, (2) 3" lint free polyester roller covers.
- 9" Kit: Roller frame, roller tray, (3) 9" lint free polyester roller covers, 48-73" telescoping extension pole.
- 18" Kit: Adjustable 12-18" roller frame, roller tray, (3) 18" lint free polyester roller covers, 48-73" telescoping extension pole.

USES

Acrylic Sealers, Coatings, Paint



ARMOR SPRAYER

2-GALLON STAINLESS-STEEL PUMP SPRAYER FOR SEALERS, CLEANERS, AND COATINGS

DESCRIPTION

Industrial-grade 2-gallon stainless-steel sprayer for applying water-based and solvent-based sealers, cleaners, and coatings.

BENEFITS

- Comes with a .5 adjustable cone tip and a 1 GPM brass fan tip
- Can be used for most water and solvent based sealers, cleaners, and coatings
- Pressure gauge for accurate spraying
- Acetone resistant EPDM 48" rubber hose, and EPDM rubber O-Rings
- Naphtha resistant Viton Pump O-Ring
- Ergonomic 19" wand with lock on feature for continuous spraying
- Durable, stainless steel pump

USES

Sealers, Coatings, Cleaners



FOUNDATION ARMOR

CONCRETE SEALERS AND COATINGS

CONTACT US!

ADDRESS

10 Howe Drive, Amherst, NH 03031

PHONE

+1 866-306-0246

EMAIL

info@foundationarmor.com

WEBSITE

www.foundationarmor.com